

8805.**



SPECIAL TERMINALS – LAMPHOLDER - LAMP CONTACT

Description Lamp holder terminal for PS21W bulb. Lamp contact

Wire section range 0.75 – 1.00 mm² (AWG 18)

Max. Insulator Ø 1.90 mm

Materials, Temperature	Part nr.	Material	Finishing	Max. Temp. (C°)
	8805.61	Inox	Pre-tin-plated	300

Material thickness 0.3 mm

Max. Rated current	Wire section (mm ²)	Current (A)
	0.75	10
	1.00	12

Application tool MN8805


Wire striping length 4.00 (±0.5) mm


Crimping parameters & Pull out force	Wire section (mm ² ±10%)	Conductor (mm)		Insulator (mm)		Pull-out force (N)
		Height (±0.05)	Width (measured)	Height (measured)	Width (measured)	
	0.75	1.30	2.39	2.50	2.68	>130
	1.00	1.40	2.42	2.60	2.68	>170

Note: Values only valid for the application tool specified. The insulator width is only indicative as they depend of the insulation properties

Packaging 4500 Pieces on 25 mm cardboard reel, 12.5 mm terminal chain pitch

Drawing



Approvals	RoHS Coplant	
------------------	--------------	---

Connectors Compatibility info@escubedo.com

Disclaimer

Data obtained from Escubedo Laboratory essays, using own methodology, cablings, equipment and original crimping tools, done in laboratory conditions and following the indicated standards, errors and omissions excepted. This document has no contractual meaning and it is publised only for informative purposes. It can be changed without prior notice. The end customer has the sole responsibility to check these characteristics in its environment and with its own components, manufacturing methods and equipment. See also the full range product overview if available. For further information please visit our web site or contact us.

Rev. Nr.	Modification	Date	Created/Revised	Approved
3	Wire section range modification / Update materials	11/07/2017	D.Martinez / E.Roura	X.Menac
2	Update	04/04/2017	D.Martinez / E.Roura	X.Menac
1	Creation	30/07/2010	D.Martinez	JC Sanchez